



KCI TABLE

an *imdex* limited company

Sp Gr	Density lb/gal 21°C	Weight % %	KCI lb/bbl	KCI kg/m ³	Water m ³ /m ³	Crystal Pt °C
1.003	8.30	0.5	1.6	4.6	0.9983	0
1.010	8.40	1.6	5.5	15.7	0.9942	-1
1.020	8.50	3.1	11.1	31.7	0.9882	-2
1.030	8.60	4.7	16.8	47.9	0.9820	-2
1.040	8.70	6.2	22.5	64.2	0.9756	-3
1.050	8.70	7.7	28.3	80.7	0.9690	-4
1.060	8.80	9.2	34.1	97.4	0.9623	-5
1.070	8.90	10.7	40.0	114.2	0.9554	-5
1.080	9.00	12.2	46.0	131.2	0.9484	-6
1.090	9.10	13.6	52.0	148.3	0.9412	-7
1.100	9.20	15.1	58.0	165.5	0.9339	-8
1.110	9.20	16.5	64.1	182.9	0.9266	-9
1.120	9.30	17.9	70.2	200.3	0.9191	-10
1.130	9.40	19.3	76.4	217.9	0.9115	-11
1.140	9.50	20.7	82.5	235.5	0.9038	-6
1.150	9.60	22.1	88.7	253.2	0.8961	1
1.160	9.70	23.4	95.0	270.9	0.8883	8
1.170	9.70	24.7	101.2	288.7	0.8805	15
1.180	9.80	26.0	107.4	306.5	0.8726	23



Quality
ISO 9001
SAI GLOBAL

Several factors will dictate the most appropriate concentration rate. Please contact your nearest AMC representative for optimum results.

With more than 20 years experience, AMC has enjoyed a successful history of supplying specialist drilling products to the mineral, oil & gas, water well, horizontal directional drilling, civil and tunnelling industries world wide.

The success of AMC is due to its quality products, and the dedication of its skilled team who offer on site support where and when customers need it.

amc@imdexlimited.com www.amcmud.com

AMC Africa
T +27 (0) 11 908 5595

AMC Asia Pacific
T +61 (0) 8 9445 4000

AMC Europe
T +44 (0) 1273 483 700

AMC North America
T +1 (403) 259 5112

AMC South America
T +56 (2) 589 9300